IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Cancelled)

Claim 2 (Currently Amended): A thiazole according to Formula (I),

wherein R¹ is a moiety of the formula –NR⁵R⁶;

 R^2 , R^3 and R^5 are selected independently from H, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl and C_2 - C_6 -alkynyl;

 R^4 is selected from H, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl and C_2 - C_6 -alkynyl and NR^8R^9 wherein R^8 and R^9 are independently selected from H, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_1 - C_6 -alkyl alkoxy carbonyl and C_1 - C_6 -alkyl acyloxy;

R⁶ is

unsubstituted C₁-C₆-alkyl,

C₂-C₆-alkenyl,

C₂-C₆-alkynyl,

 C_1 - C_6 -alkyl alkoxy,

C₁-C₆ alkyl acyl,

C₁-C₆-alkyl carboxy,

C₁-C₆ alkyl C₃-C₈ cycloalkyl,

C₁-C₆ alkyl heterocycloalkyl,

C₁-C₆-alkyl acylamino, C_1 - C_6 -alkyl amino, C₁-C₆-alkyl aminocarbonyl, C₁-C₆-alkyl alkoxycarbonyl, phenyl substituted by carboxy, 2,5-dimethoxy phenyl, 2-methoxy phenyl, 3-methoxy phenyl, 2-acetylamino-phenyl, aminophenyl, dimethylamino phenyl, 3-nitro phenyl, 2-nitrophenyl, 2-methylphenyl, bromophenyl, chlorophenyl, 2-chlorophenyl, 3-chlorophenyl, hydroxyphenyl, 2-hydroxyphenyl, 4-hydroxyphenyl, cyanophenyl, 3-(1-hydroxyethyl) phenyl, hydroxamic acid phenyl, 3-(N-hydroxycarbamimidoyl)-phenyl-4-yl,

```
acetyl phenyl,
benzyl piperazine carbonyl phenyl,
phenyl optionally substituted with heteroaryl,
aryl amino sulfonyl,
dimethylpyrimidin amino sulfonyl phenyl,
methyl isoxazol amino sulfonyl phenyl,
dimethoxy pyrimidin amino sulfonyl phenyl,
pyridinyl amino sulfonyl phenyl,
3-(aminosulfonyl)phenyl,
4[(methylamino)sulfonyl]phenyl,
4-[(dimethylamino)sulfonyl]phenyl,
3[(butylamino)sulfonyl]phenyl,
4-(morpholin-4-yl-sulfonyl)phenyl,
aryl sulfonyl,
fused phenyl,
aryl C<sub>1</sub>-C<sub>6</sub>-alkyl acyl,
3-pyridin,
4-pyridin,
methoxy pyridine,
chloro pyridine,
 fluoro pyridine,
 cyano pyridine,
 acetamide pyridine,
```

fused pyridine,

unsubstituted C₃-C₈ cycloalkyl,

pyridine-3-yl-methyl,

pyridine-4-yl-methyl,

2-(1 H-tetrazol-5-yl)ethyl,

2- (2-hydroxy-1,3,4-oxadiazol-5-yl)ethyl,

3-(2-hydroxy-1,3,4-oxadiazol-5-yl)propyl, or

3- (1 H-imidazol-1-yl)propyl;

or R⁵ and R⁶, together with the carbon atoms they are linked to, form an unsubstituted 5-8-membered saturated ring or aromatic ring containing optionally one or more heteroatoms selected from O, N and S; and

X is selected from S and O; as well as isomers thereof.

Claim 3 (Previously Presented): A thiazole according to claim 2 wherein R² is H.

Claim 4 (Previously Presented): A thiazole according to claim 2 wherein R³ is methyl.

Claim 5 (Previously Presented): A thiazole according to claim 2 wherein R^4 is selected from C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl and C_2 - C_6 -alkynyl.

Claim 6 (Previously Presented): A thiazole according to claim 2 wherein R^5 is H and R^6 is selected from C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_2 - C_6 -alkynyl, and C_1 - C_6 -alkyl alkoxy.

Claim 7 (Cancelled).

Claim 8 (Previously Presented): A thiazole according to claim 2 wherein R⁵ is H.

Claim 9 (Currently Amended): A thiazole according to claim $\underline{2}$ [[1]] wherein R^5 is H and R^6 is phenyl.

Claim 10 (Previously Presented): A thiazole according claim 2 wherein R⁵ and R⁶, together with the carbon atoms they are linked to, form a 5-8-membered saturated or aromatic ring containing optionally one or more heteroatoms selected from O, N and S.

Claim 11 (Previously Presented): A thiazole according claim 2 wherein R¹ is – NR⁵R⁶; R² is H; R³ is methyl; R⁴ is selected from C₁-C₆-alkyl, C₂-C₆-alkenyl; C₂-C₆-alkynyl and -NR⁸R⁹ wherein R⁸ and R⁹ are independently selected from H, C₁-C₆-alkyl, C₂-C₆-alkenyl; C₂-C₆-alkynyl and C₁-C₆-alkyl alkoxycarbonyl; R⁵ is H and R⁶ is selected from C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₁-C₆-alkyl alkoxy, C₁-C₆-alkyl acyl, C₁-C₆-alkyl acylamino, C₁-C₆-alkyl amino, C₁-C₆-alkyl aminocarbonyl, C₁-C₆-alkyl alkoxycarbonyl, C₁-C₆-alkyl C₃-C₈-cycloalkyl and C₁-C₆-alkyl heterocycloalkyl and X is S.

Claim 12 (Cancelled).

Claim 13 (Previously Presented): A thiazole according to claim 2 wherein R^1 is – NR^5R^6 ; R^2 is H; R^3 is methyl; R^4 is selected from C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl; C_2 - C_6 -alkynyl and - NR^8R^9 wherein R^8 and R^9 are independently selected from H, C_1 - C_6 -alkyl, C_2 - C_6 -alkynyl and C_1 - C_6 -alkyl alkoxycarbonyl; R^5 is H and X is S.

Claim 14 (Previously Presented): A thiazole according to claim 2 wherein R^1 is – NR^5R^6 ; R^2 is H; R^3 is methyl; R^4 is an unsubstituted C_1 - C_6 -alkyl, and - NR^8R^9 wherein R^8 and

R⁹ are independently selected from H, C₁-C₆-alkyl, C₂-C₆-alkenyl; C₂-C₆-alkynyl and C₁-C₆-alkyl alkoxycarbonyl; R⁵ is H and X is S.

Claim 15 (Previously Presented): A thiazole according to claim 2 wherein R¹ is – NR⁵R⁶; R² is H; R³ is methyl; R⁴ is-an unsubstituted_C₁-C₆-alkyl, and -NR⁸R⁹ wherein R⁸ and R⁹ are independently selected from H, C₁-C₆-alkyl, C₂-C₆-alkenyl; C₂-C₆-alkynyl and C₁-C₆-alkyl alkoxycarbonyl; R⁵ and R⁶, together with the carbon atoms they are linked to, form an optionally substituted 5-8-membered saturated or aromatic ring containing optionally one or more heteroatoms selected from O, N and S. and X is S.

Claim 16 (Cancelled)

Claim 17 (Previously Presented): A thiazole selected from the group consisting of:

N-(4'-methyl-2-piperidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-(4'-methyl-2-morpholin-4-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[4'-methyl-2-(4-methylpiperazin-1-yl)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

Methyl 1-[2-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]piperidine-3 carboxylate;

N-{2-[4-(2-hydroxyethyl)piperidin-1-yl]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(4'-methyl-2-pyrrolidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[2-(3-hydroxypyrrolidin-1-yl)-4'methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[2-(tert-butylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

acetamide;

N-{2-[(6-methoxypyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide:

N-{2-[(6-chloropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-{4'-methyl-2-[(2-morpholin-4-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-{4'-methyl-2-[(2-piperidin-1-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-{2-[(2-methoxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-[2-(cyclohexylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
N-{4'-methyl-2-[(3-morpholin-4-ylpropyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}
acetamide:

N-{4'-methyl-2-[(tetrahydrofuran-2-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-[2-(1-benzofuran-5-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]formamide;
N-{4-methyl-5-[2-(pyridin-3-ylamino)-1,3-thiazol-4-yl]-1,3-oxazol-2-yl} acetamide;
N-{2-[(2-fluoropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-{2-[(2-cyanoethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-{2-[(3,3-diethoxypropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-{2-[(2,2-diethoxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-{4'-methyl-2-[(2-oxo-2-phenylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-{2-[(2-chloropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-{2-[(2-chloropyridin-4-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}butanoic acid;
N-{2-[(2-chloropyridin-4-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2-yl] acetamide;
N-{5-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}pyridin-2-yl} acetamide;

acetamide;

N-[2-(2,3-dihydro-1-benzofuran-5-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl] acetamide;

 $N-(4'-methyl-2-\{[2-(1-methylpyrrolidin-2-yl)ethyl]amino\}-4,5'-bi-1,3-thiazol-2'-yl)\\$ acetamide;

N-{4'-methyl-2-[(2-pyrrolidin-1-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-(4'-methyl-2-{[3-(2-oxopyrrolidin-1-yl)propyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)
acetamide;

N-(2-{[2-(acetylamino)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;
N-(2-{[2-(dimethylamino)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;
N-{2-[(2-hydroxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
N-(2-{[3-(dimethylamino)propyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)

N-{2-[(3-hydroxypropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N~3~-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]-beta-alaninamide;
N-{2-[(6-cyanopyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-[4'-methyl-2-(quinolin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
N-[4'-methyl-2-(quinolin-5-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
N-[4'-methyl-2-(quinolin-6-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
N-[2-(cyclopentylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
N-[2-(cyclopropylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
N-{2-[(4-hydroxybutyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl] acetamide;

N-{4'-methyl-2-[(3-pyrrolidin-1-ylpropyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-{2-[(1,1-dioxido-1-benzothien-6-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(2-{[(1-ethylpyrrolidin-2-yl)methyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-{2-[(cyanomethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-[2-(isobutylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{2-[(2,2-dimethylpropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(2-{[(cis)-2-(hydroxymethyl)cyclohexyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-(2-{[(trans)-2-(hydroxymethyl)cyclohexyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[2-(sec-butylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{2-[(cyclopropylmethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-[2-(cyclobutylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[2-(2,3-dihydro-1H-inden-2-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]

acetamide;

methyl 4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} butanoate; N-[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]urea; and N-(4'-methyl-2-piperidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)urea.

Claim 18 (Withdrawn): A method for treating a patient in need thereof, said patient having symptoms caused by at least one of the following conditions:

autoimmune disorders and/or inflammatory diseases, cardiovascular diseases, neurodegenerative diseases, bacterial or viral infections, kidney diseases, platelet aggregation, cancer, transplantation, graft rejection or lung injuries, said method comprising administering to said patient in need thereof a medicament comprising a thiozole according to claim 2.

Claim 19 (Withdrawn): A method according to claim 18, wherein said conditions are selected from the group essentially consisting of Alzheimer's disease, Huntington's disease, CNS trauma, stroke or ischemic conditions.

Claim 20 (Withdrawn): A method according to claim 18, wherein said conditions are selected from the group essentially consisting of multiple sclerosis, psoriasis, rheumatoid arthritis, multiple sclerosis, systemic lupus erythematosis, inflammatory bowel disease, lung inflammation, thrombosis or brain infection/inflammation such as meningitis or encephalitis.

Claim 21 (Withdrawn): A method according to claim 18, wherein said conditions are selected-from the group essentially consisting of atherosclerosis, heart hypertrophy, cardiac myocyte dysfunction, elevated blood pressure or vasoconstriction.

Claim 22 (Withdrawn): A method according to claim 18, wherein said conditions are selected from the group essentially consisting of chronic obstructive pulmonary disease, anaphylactic shock fibrosis, psoriasis, allergic diseases, asthma, stroke or ischemic conditions, ischemia-reperfusion, platelets aggregation/activation, skeletal muscle atrophy/hypertrophy, leukocyte recruitment in cancer tissue, angiogenesis, invasion metastisis, in particular melanoma, Karposi's sarcoma, acute and chronic bacterial and viral infections, sepsis, graft rejection, glomerulo sclerosis, glomerulo nephritis, progressive renal fibrosis, endothelial and epithelial injuries in the lung or in general lung airways inflammation.

Claim 23 (Withdrawn): A method according to claim 18, wherein said administering results in a reduction of the PI3 kinase activity.

Claim 24 (Withdrawn): A method according to claim 23, wherein said PI3 kinase is a PI3 kinase γ .

Claim 25 (Withdrawn): A method for treating a patient in need thereof, said patient having symptoms caused by at least one of the following conditions:

autoimmune disorders and/or inflammatory diseases, cardiovascular diseases, neurodegenerative diseases, bacterial or viral infections, kidney diseases, platelet aggregation, cancer, transplantation, graft rejection or lung injuries, said method comprising administering to said patient in need thereof a medicament comprising a thiozole selected from the group:

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino} benzoic acid;
4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoic acid;
N-[2-(benzylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
N-{4'-methyl-2-[(2-phenylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-(4'-methyl-2-piperidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;
N-[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
N-[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
N-[4'-methyl-2-(pyridin-2-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
N-{2-[(4-methoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-{2-[(4-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-{4'-methyl-2-[(4-nitrophenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

```
N-[2-({4-[(4-benzylpiperazin-1-yl)carbonyl]phenyl}amino)-4'-methyl-4,5'-bi-1,3-
      thiazol-2'-yl]acetamide;
       N-(2-amino-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;
       N-(2-anilino-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;
       N-(4'-methyl-2-morpholin-4-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;
       N-[4'-methyl-2-(4-methylpiperazin-1-yl)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
       Methyl 1-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]piperidine-3-
carboxylate;
       N-\{2-[4-(2-hydroxyethyl)piperidin-1-yl]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl\}
       acetamide;
       N-(4'-methyl-2-pyrrolidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;
       N-[2-(3-hydroxypyrrolidin-1-yl)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
       N-[2-(tert-butylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;
       N-{2-[(6-methoxypyridin-3-yl)amino]-4-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
       N-{2-[(6-chloropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
       N-{2-[(4-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
       N-{2-[(4-chlorophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
       N-{2-[(2-chlorophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
       N-{2-[(2-methoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
       N-{2-[(3-chlorophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
       N-{2-[(3-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
       N-{4'-methyl-2-[(2-morpholin-4-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
       N-{4'-methyl-2-[(2-piperidin-1-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
       N-{2-[(2-methoxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
```

N-[2-(cyclohexylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{4'-methyl-2-[(3-morpholin-4-ylpropyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{4'-methyl-2-[(tetrahydrofuran-2-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{2-[(2-hydroxy-2-phenylethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

 $N-[2-(1-benzofuran-5-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl] acetamide; \\ N-\{2-[(3-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl\} acetamide; \\ N-\{2-[(3-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl\} acetamide; \\ N-\{2-[(3-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl] acetamide; \\ N-\{3-[(3-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl] acetamide; \\ N-\{3-[(3-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'-bi-1,5'$

[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]formamide;

Ethyl N-({[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino}carbonyl)-beta-alaninate;

N-{4-methyl-5-[2-(pyridin-3-ylamino)-1,3-thiazol-4-yl]-1,3-oxazol-2-yl} acetamide;

N-{2-[(2-fluoropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2-cyanoethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{2-[(3,3-diethoxypropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2,2-dicthoxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{4'-methyl-2-[(2-oxo-2-phenylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

 $N-\{2-[(2-chloropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl\}\ acetamide;$

N-(4'-methyl-2-{[3-(1,3-oxazol-5-yl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)

acetamide;

N-(4'-methyl-2-{[3-(1H-tetrazol-5-yl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl) acetamide:

 $N-(4'-methyl-2-\{[4-(1H-tetrazol-5-yl)phenyl]amino\}-4,5'-bi-1,3-thiazol-2'-yl)\\$ acetamide;

N-{4'-Methyl-2-[2-(1H-tetrazol-5-yl)-ethylamino]-[4,5']bithiazolyl-2'-yl}-acetamide;

N-(2-{[3-(5-hydroxy-1,3,4-oxadiazol-2-yl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-(2-{[3-(5-amino-1,3,4-thiadiazol-2-yl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]-beta-alanine;

5-(2-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}ethyl)-1,3,4-oxadiazol-2-olate;

4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}butanoic acid;

N-(2-{[3-(5-hydroxy-1,3,4-oxadiazol-2-yl)propyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}-N-hydroxy benzamide;

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}-N-hydroxy benzene carboximidic acid;

N-(2-{[3-(5-hydroxy-1,2,4-oxadiazol-3-yl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

 $N-[2-({3-[(Z)-(2,4-dioxo-1,3-thiazolidin-5-ylidene})methyl]phenyl}amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;$

N-[4'-methyl-2-({4-[(pyridin-2-ylamino)sulfonyl]phenyl}amino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-(2-{[2-(2-hydroxyethyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

 $N-(2-\{[3-(hydroxymethyl)phenyl]amino\}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)$ acetamide;

acetamide;

N-(2-{[4-(2-hydroxyethyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

 $N-[2-(\{3-[(2-hydroxyethyl)sulfonyl]phenyl\}amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl] acetamide;$

 $N-[2-(\{4-|(dimethylamino)sulfonyl]phenyl\}amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;$

N-(2-{[3-(aminosulfonyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide:

N-{2-[(2-chloropyridin-4-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-[4'-methyl-2-({4-[(methylamino)sulfonyl]phenyl}amino)-4,5'-bi-1,3-thiazol-2'-yl] acetamide;

N-(5-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}pyridin-2-yl) acetamide;

N-[2-(2,3-dihydro-1-benzofuran-5-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl] acetamide;

N-(4'-methyl-2-{[2-(1-methylpyrrolidin-2-yl)ethyl]amino}-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-{4'-methyl-2-[(2-pyrrolidin-1-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-(4'-methyl-2-{[3-(2-oxopyrrolidin-1-yl)propyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)
acetamide;

N-(2-{[2-(acetylamino)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;
N-(2-{[2-(dimethylamino)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;
N-{2-[(2-hydroxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
N-(2-{[2-(4-hydroxyphenyl)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)

N-(2-{[3-(dimethylamino)propyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-{2-[(3-hydroxypropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-(2-{[3-(1H-imidazol-1-yl)propyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N~3~-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]-beta-alaninamide; N-{4'-methyl-2-[(2-methylprop-2-en-1-yl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{2-[(2-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{2-[(6-fluoropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{2-[(4-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-{2-[(6-cyanopyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{2-[(3-methoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide; 3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}benzamide; N-{4'-methyl-2-[(2-nitrophenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-{4'-methyl-2-[(3-nitrophenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-[4'-methyl-2-(quinolin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide; N-[4'-methyl-2-(quinolin-5-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide; N-[4'-methyl-2-(quinolin-6-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide; N-[2-(cyclopentylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide; N-[2-(cyclopropylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide; N-{4'-methyl-2-[(pyridin-3-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{2-[(4-hydroxybutyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-(4'-methyl-2-{[3-(methylsulfonyl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-{4'-methyl-2-[(3-pyrrolidin-1-ylpropyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(1,1-dioxido-1-benzothien-6-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(2-{[(1-ethylpyrrolidin-2-yl)methyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-{2-[(cyanomethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-[2-(isobutylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

 $N-\{2-[(2,2-dimethylpropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl\} acetamide;$

N-(2-{[(cis)-2-(hydroxymethyl)cyclohexyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-

yl)acetamide;

N-(2-{[(trans)-2-(hydroxymethyl)cyclohexyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[2-(sec-butylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{4'-methyl-2-[(pyridin-4-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(4'-methyl-2-{[4-(morpholin-4-ylsulfonyl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-[2-({3-[(butylamino)sulfonyl]phenyl}amino)-4'-methyl-4,5'-bi-1,3-thiazol -2'-yl] acetamide;

 $N-\{2-[(cyclopropylmethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl\}\ acetamide;$

N-[2-(cyclobutylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[2-(2,3-dihydro-1H-inden-2-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]

acetamide;

N-(4'-methyl-2-{[2-(methylsulfonyl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

 $N-(4'-methyl-2-\{[2-(1H-1,2,4-triazol-1-yl)ethyl]amino\}-4,5'-bi-1,3-thiazol-2'-yl)$ acetamide;

N-(2-{[3-(1-hydroxyethyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

Methyl (4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl) acetate;

Methyl N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoyl)-beta-alaninate;

Methyl N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoyl) glycinate;

Methyl 3-(3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl) propanoate;

3-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}phenyl) propanoic acid;

Methyl 4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} butanoate; Methyl (3-{|2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl)

acetate;

N-[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]urea;

N-[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]urea;

N-(4'-methyl-2-piperidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)urea;

N-(2-anilino-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)urea;

N-{2-[(4-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}urea;

N-[2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}phenyl)acetic acid;

N-(4-{|2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}benzoyl)-beta-alanine;

N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoyl)glycine;

3-(3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}phenyl) propanoic acid;

N-{2-[(4-ethoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(4-methylphenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{2-[(4-{[(4,6-dimethylpyrimidin-2-yl)amino]sulfonyl}phenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(4-{[(5-methylisoxazol-3-yl)amino]sulfonyl}phenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]propanamide;

N-{2-[(4-{[(2,6-dimethoxypyrimidin-4-yl)amino]sulfonyl}phenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(4-{[(5-methylisoxazol-3-yl)amino]sulfonyl}phenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}propanamide;

N-{2-[(4-{[(4,6-dimethylpyrimidin-2-yl)amino]sulfonyl}phenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}propanamide;

N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}phenyl)acetamide;

N-{2-[(4-aminophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

 $N-\{2-[(2-ethylphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl\} acetamide;\\$

N-{4'-methyl-2-[(2-methylphenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

 $N-\{2-[(4-bromophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl\} acetamide;\\$

N-(2-{[4-(aminosulfonyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide:

N-{2-[(2,5-dimethoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-{2-[(3-acetylphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; and N-(2-{[4-(dimethylamino)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide.

Claim 26 (Previously Presented): A pharmaceutical composition containing at least one thiazole derivative according to claim 2 and a pharmaceutically acceptable carrier, diluent or excipient thereof.

Claim 27 (Previously Presented) A thiazole compound selected from the group consisting of:

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino}benzoic acid;

4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino}benzoic acid;

N-[2-(benzylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{4'-methyl-2-|(2-phenylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-(4'-methyl-2-piperidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[4'-methyl-2-(pyridin-2-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

 $N-\{2-[(4-methoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl\}\ acetamide;$

N-{2-[(4-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{4'-methyl-2-[(4-nitrophenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

 $\hbox{$4$-\{[2'-(acetylamino)-4-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino}$ benzamide;$

N-[2-({4-[(4-benzylpiperazin-1-yl)carbonyl]phenyl}amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-(2-anilino-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-(4'-methyl-2-morpholin-4-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[4'-methyl-2-(4-methylpiperazin-1-yl)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

Methyl 1-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]piperidine-3-carboxylate;

N-{2-[4-(2-hydroxyethyl)piperidin-1-yl]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(4'-methyl-2-pyrrolidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide; N-[2-(3-hydroxypyrrolidin-1-yl)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide; N-[2-(tert-butylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide; N-{2-[(6-methoxypyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-{2-[(6-chloropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{2-[(4-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; $N-\{2-[(4-chlorophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl\} acetamide;$ N-{2-[(2-chlorophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-{2-[(2-methoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-{2-[(3-chlorophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-{2-[(3-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-{4'-methyl-2-[(2-morpholin-4-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{4'-methyl-2-[(2-piperidin-1-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{2-[(2-methoxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-[2-(cyclohexylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide; $N-\{4'-methyl-2-[(3-morpholin-4-ylpropyl)amino]-4,5'-bi-1,3-thiazol-2'-yl\}$ acetamide;

N-{4'-methyl-2-[(tetrahydrofuran-2-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2-hydroxy-2-phenylethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-[2-(1-benzofuran-5-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{2-[(3-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]formamide;

Ethyl N-({[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino}carbonyl)-beta-alaninate;

N-{4-methyl-5-[2-(pyridin-3-ylamino)-1,3-thiazol-4-yl]-1,3-oxazol-2-yl} acetamide;

N-{2-[(2-fluoropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2-cyanoethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{2-|(3,3-diethoxypropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2,2-diethoxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{4'-methyl-2-[(2-oxo-2-phenylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2-chloropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

 $N-(4'-methyl-2-\{[3-(1,3-oxazol-5-yl)phenyl]amino\}-4,5'-bi-1,3-thiazol-2'-yl)$

acetamide;

N-(4'-methyl-2-{[3-(1H-tetrazol-5-yl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-(4'-methyl-2-{[4-(1H-tetrazol-5-yl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

 $N-\{4'-Methyl-2-[2-(1H-tetrazol-5-yl)-ethylamino]-[4,5'] bithiazolyl-2'-yl\}-acetamide;$

N-(2-{[3-(5-hydroxy-1,3,4-oxadiazol-2-yl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-

thiazol-2'-yl)acetamide;

N-(2-{[3-(5-amino-1,3,4-thiadiazol-2-yl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]-beta-alanine;

5-(2-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}ethyl)-1,3,4-oxadiazol-2-olate;

4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}butanoic acid;

 $N-(2-\{[3-(5-hydroxy-1,3,4-oxadiazol-2-yl)propyl]amino\}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;$

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}-N-hydroxy benzamide;

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}-N-hydroxy benzene carboximidic acid;

N-(2-{[3-(5-hydroxy-1,2,4-oxadiazol-3-yl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

 $N-[2-({3-[(Z)-(2,4-dioxo-1,3-thiazolidin-5-ylidene})methyl]phenyl}amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;$

N-[4'-methyl-2-({4-[(pyridin-2-ylamino)sulfonyl]phenyl}amino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-(2-{[2-(2-hydroxyethyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-(2-{[3-(hydroxymethyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-(2-{[4-(2-hydroxyethyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-{2-({3-[(2-hydroxyethyl)sulfonyl]phenyl}amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

 $N-[2-(\{4-[(dimethylamino)sulfonyl]phenyl\}amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;\\$

N-(2-{[3-(aminosulfonyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-{2-[(2-chloropyridin-4-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-[4'-methyl-2-({4-[(methylamino)sulfonyl]phenyl}amino)-4,5'-bi-1,3-thiazol-2'-yl] acetamide;

N-(5-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}pyridin-2-yl) acetamide;

N-[2-(2,3-dihydro-1-benzofuran-5-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl] acetamide;

 $N-(4'-methyl-2-\{[2-(1-methylpyrrolidin-2-yl)ethyl]amino\}-4,5'-bi-1,3-thiazol-2'-yl)\\$ acetamide;

N-{4'-methyl-2-[(2-pyrrolidin-1-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;
N-(4'-methyl-2-{[3-(2-oxopyrrolidin-1-yl)propyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)
acetamide;

N-(2-{[2-(acetylamino)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;
N-(2-{[2-(dimethylamino)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;
N-{2-[(2-hydroxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
N-(2-{[2-(4-hydroxyphenyl)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)

N-(2-{[3-(dimethylamino)propyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

acetamide;

N-{2-[(3-hydroxypropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(2-{[3-(1H-imidazol-1-yl)propyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N~3~-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]-beta-alaninamide; N-{4'-methyl-2-[(2-methylprop-2-en-1-yl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{2-[(2-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{2-[(6-fluoropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{2-[(4-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-{2-[(6-cyanopyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{2-[(3-methoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide; 3-{|2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}benzamide; N-{4'-methyl-2-[(2-nitrophenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-{4'-methyl-2-[(3-nitrophenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-[4'-methyl-2-(quinolin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide; N-[4'-methyl-2-(quinolin-5-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide; N-[4'-methyl-2-(quinolin-6-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide; N-[2-(cyclopentylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide; N-[2-(cyclopropylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide; N-{4'-methyl-2-[(pyridin-3-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-{2-[(4-hydroxybutyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide; N-(4'-methyl-2-{[3-(methylsulfonyl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl) acetamide:

 $N-\{4'-methyl-2-[(3-pyrrolidin-1-ylpropyl)amino]-4,5'-bi-1,3-thiazol-2'-yl\}\ acetamide;$ $N-\{2-[(1,1-dioxido-1-benzothien-6-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl\}\ acetamide;$

N-(2-{[(1-ethylpyrrolidin-2-yl)methyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-{2-[(cyanomethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-[2-(isobutylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{2-[(2,2-dimethylpropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(2-{[(cis)-2-(hydroxymethyl)cyclohexyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-(2-{[(trans)-2-(hydroxymethyl)cyclohexyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[2-(sec-butylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{4'-methyl-2-[(pyridin-4-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(4'-methyl-2-{[4-(morpholin-4-ylsulfonyl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-[2-({3-[(butylamino)sulfonyl]phenyl}amino)-4'-methyl-4,5'-bi-1,3-thiazol -2'-yl] acetamide;

 $N-\{2-[(cyclopropylmethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl\}\ acetamide;$

N-[2-(cyclobutylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[2-(2,3-dihydro-1H-inden-2-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]

acetamide;

N-(4'-methyl-2-{[2-(methylsulfonyl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl) acetamide:

 $N-(4'-methyl-2-\{[2-(1H-1,2,4-triazol-1-yl)ethyl]amino\}-4,5'-bi-1,3-thiazol-2'-yl)\\$ acetamide;

N-(2-{[3-(1-hydroxyethyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

Methyl (4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl) acetate;

Methyl N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoyl)-beta-alaninate;

Methyl N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoyl) glycinate;

Methyl 3-(3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl) propanoate;

3-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}phenyl) propanoic acid;

Methyl 4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} butanoate;

Methyl (3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl)

acetate;

N-[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]urea;

N-[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]urea;

N-(4'-methyl-2-piperidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)urea;

N-(2-anilino-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)urea;

N-{2-[(4-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}urea;

N-|2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}phenyl)acetic acid;

N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}benzoyl)-beta-alanine;

N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoyl)glycine;

3-(3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}phenyl) propanoic acid;

N-{2-[(4-ethoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
N-{4'-methyl-2-[(4-methylphenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
N-{2-[(4-{[(4,6-dimethylpyrimidin-2-yl)amino]sulfonyl}phenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(4-{[(5-methylisoxazol-3-yl)amino]sulfonyl}phenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]propanamide;

N-{2-[(4-{[(2,6-dimethoxypyrimidin-4-yl)amino]sulfonyl}phenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(4-{[(5-methylisoxazol-3-yl)amino]sulfonyl}phenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}propanamide;

N-{2-[(4-{[(4,6-dimethylpyrimidin-2-yl)amino]sulfonyl}phenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}propanamide;

N-(4-{[2'-(acetylamino)-4-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}phenyl)acetamide;
N-{2-[(4-aminophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
N-{2-[(2-ethylphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
N-{4'-methyl-2-[(2-methylphenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
N-{2-[(4-bromophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;
N-(2-{[4-(aminosulfonyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)

N-(2-{|4-(aminosultonyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-{2-[(2,5-dimethoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; N-{2-[(3-acetylphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; and N-(2-{[4-(dimethylamino)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide.